


# HIGH TEMPERATURE USB DATA LOGGER

316 SS Construction, Up To 32,510 Readings



The **MODEL DW-USB-1-HT** High Temperature USB Data Logger allows users to monitor temperatures up to 257°F (125°C). The rigid, stainless steel enclosure protects the sensor against corrosion, impact, and water ingress.

#### FEATURES/BENEFITS

- Easy to use configuration software
- Integral USB plug
- 316 SS housing

#### APPLICATIONS

- Thermal testing
- Process monitoring or troubleshooting

#### MODEL CHART

Model	Description
DW-USB-1-HT	High temperature USB data logger

#### SPECIFICATIONS

**Range:** -40 to 257°F (-40 to 125°C).

**Accuracy:** ±1°F (±0.5°C).

**Resolution:** 0.2°F (0.1°C).

**Memory Size:** 32,510 readings.

**Sampling Mode:** Continuous or stop on memory full.

**Sampling Rate:** Selectable from 1 s. to 12 hours.

**Computer Requirements:** Compatible with Windows® 7, Windows® 8 and Windows® 10.

**Power Requirements:** 3.6 V 2/3 AA lithium metal battery, included, user replaceable.

**Battery Life:** Approximately 1 to 3 years.

**Housing:** 316 SS.

**Enclosure Rating:** IP67/NEMA 4X.

**Alarms:** Programmable high/low.

**Interface:** USB port.

**Weight:** 4.6 oz (130.4 g).

**Agency Approvals:** CE.

Windows® is a registered trademark of Microsoft Corporation.